

WEST Search History

DATE: Tuesday, February 13, 2007

Hide? Set
Name Query

DB=PGPB,USPT; PLUR=NO; OP=ADJ

- ☐ L80 substitut\$4 and L75
- ☐ L79 prevent\$4 and L75
- ☐ L78 stop\$4 and L75
- ☐ L77 halt\$4 and L75
- ☐ L76 busy and L75
- ☐ L75 (3611300 or 5699529 or 5983338 or 6157977 or 6205506 or 6559850).pn.
- ☐ L74 L34 and L72
- ☐ L73 L38 and L72
- ☐ L72 (703/27).ccls.

DB=EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ

- ☐ L71 (L68 or L69) and L70
- ☐ L70 (forward Compatibil\$3) or (backward compatibil\$3)
- ☐ L69 (interface\$1) with program\$5
- ☐ L68 (interface\$1) with configur\$4
- ☐ L67 (old or older) with (coprocessor\$1 or co-processor\$1)
- ☐ L66 (new or newer) with (coprocessor\$1 or co-processor\$1)

DB=PGPB,USPT; PLUR=NO; OP=ADJ

- ☐ L65 L38 and L63
- ☐ L64 L42 same L63
- ☐ L63 busy with (L26 or L27)
- ☐ L62 L59 and L38
- ☐ L61 L59 and L42
- ☐ L60 L59 same L42
- ☐ L59 L58 same (L26 or L27)
- ☐ L58 (forward Compatibil\$3) or (backward compatibil\$3)
- ☐ L57 L56 same (L26 or L27)
- ☐ L56 (new or newer) with (coprocessor\$1 or co-processor\$1)
- ☐ L55 L54 not L46
- ☐ L54 (L26 or L27) and (L52 or L53)
- ☐ L53 old with (coprocessor\$1 or co-processor\$1)

- ☐ L52 older with (coprocessor\$1 or co-processor\$1)
- ☐ L51 obsolete with (coprocessor\$1 or co-processor\$1)
- ☐ L50 obsolete adj (coprocessor\$1 or co-processor\$1)
- ☐ L49 older adj (coprocessor\$1 or co-processor\$1)
- ☐ L48 old adj (coprocessor\$1 or co-processor\$1)
- ☐ L47 L46 not L44
- ☐ L46 L45 and (L39 or L40)
- ☐ L45 (L26 or L27) same L42
- ☐ L44 L29 and (L39 or L40)
- ☐ L43 L41 and L42
- ☐ L42 coprocessor\$1 or co-processor\$1
- ☐ L41 L38 and L39
- ☐ L40 (703/26).ccls.
- ☐ L39 (712/227).ccls.
- ☐ L38 (712/34).ccls.
- ☐ L37 condition code\$1 or predicate\$1
- ☐ L36 L20 and L34
- ☐ L35 L20 same L34
- ☐ L34 (co-processor\$1 or coprocessor\$1)
- ☐ L33 L20 and L28
- ☐ L32 L31 not L29
- ☐ L31 (L26 or L27) and L30
- ☐ L30 (712/35).ccls.
- ☐ L29 (L26 or L27) and L28
- ☐ L28 (712/34).ccls.
- ☐ L27 (interface\$1) with program\$5
- ☐ L26 (interface\$1) with configur\$4
- ☐ L25 (L22 or L23) with configur\$4
- ☐ L24 (L22 or L23) with program\$5
- ☐ L23 co-processor interface
- ☐ L22 coprocessor interface
- ☐ L21 coprocessor with functional units
- ☐ L20 data with L19
- ☐ L19 L18 adj L17
- ☐ L18 out
- ☐ L17 order
- ☐ L16 out of order

- ┐ L15 "out of order"
- ┐ L14 (712/34).ccls. and L12
- ┐ L13 (coprocessor\$1 or co-processor\$1) and L12
- ┐ L12 ("20010054175"|"20020046393"|"20020147965"|"20050038975"|"3473154"|"3681534"|"3
- ┐ L11 L7 and L8
- ┐ L10 L7 and L9
- ┐ L9 (703/27).ccls.
- ┐ L8 (712/227).ccls.
- ┐ L7 (712/34).CCLS.
- ┐ L6 4991080.pn.
- ┐ L5 4991080
- ┐ L4 5404560.pn.
- ┐ L3 hudepohl.in.
- ┐ L2 hudepohl.in. and ellis.xp.
- ┐ L1 (5404560 or 4991080).pn.

END OF SEARCH HISTORY